


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK NOVA SCOTIA **PRINCE EDWARD ISLAND** NEWFOUNDLAND AND LABRADOR
NUNAVUT YUKON NORTHWEST TERRITORIES

MANUFACTURERS NAME: KIMRAY, INC.	
MANUFACTURERS ADDRESS: 52 N.W 52nd Street Oklahoma City, OK 73118 USA	
PLANT LOCATIONS: Oklahoma City	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
<p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>. (Meeting CNSC or ASME requirements)</p>	TITLE OF THE STANDARD OF CONSTRUCTION ASME B16.34-2013
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	
TYPE OF CONSTRUCTION	
FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER: 1-2" HPCV VALVE ASSY (Plug Series)	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:	
Drawings CRN071114 Rev A-01, CRN071114-1BOM Rev. A-01, CRN071114-1 Rev. A-01, CRN071114-2BOM Rev. A-01, CRN071114-2S Rev A-01, CRN071114-2F Rev. A-01, ASME Calculations, Quality API Spec Q1 & ISO 9001:2008.	

DECLARATION:

I, Thomas Hill (see note 3) employed by KIMRAY, INC. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ASI (Man Qual System) ISO 9001:2008 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]
Declared before me at Oklahoma City
This 25th day of November AD 2014
Commissioner of Oaths or Notary Public: (sign) [Signature]

MARIA D. SMITH
ENR 0414/P 6112, State of Oklahoma
Commission # 13007228
My Commission Expires August 07, 2017

This space for Regulatory Authority use
This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C15021.2
FID#: 2908

ACCEPTED
PROVINCE OF PRINCE EDWARD ISLAND
ENVIRONMENT, LABOUR & JUSTICE

C.R.N. 0C15021.29
DATE: Feb 2/15

INSPECTION SERVICES SECTION
BOILER/PRESSURE VESSEL BRANCH
Sect. 1.0 - Fittings Rev. 1 06/2003

Notes:
1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK NOVA SCOTIA PRINCE EDWARD ISLAND NEWFOUNDLAND AND LABRADOR
NUNAVUT YUKON NORTHWEST TERRITORIES

MANUFACTURERS NAME: KIMRAY, INC.
MANUFACTURERS ADDRESS: 52 N.W 52nd Street Oklahoma City, OK 73118 USA
PLANT LOCATIONS: Oklahoma City
CATEGORY OF FITTINGS TO BE REGISTERED, CIRCLE ONE CATEGORY ONLY
TITLE OF THE STANDARD OF CONSTRUCTION ASME B16.34-2013
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT
TYPE OF CONSTRUCTION FORGED WELDED WROUGHT CAST OTHER DESCRIBE OTHER: 1-2" HPCV VALVE ASSY (Plug Series)
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:
Drawings CRN071114 Rev A-01, CRN071114-1BOM Rev. A-01, CRN071114-1 Rev. A-01, CRN071114-2BOM Rev. A-01, CRN071114-2S Rev. A-01, CRN071114-2F Rev. A-01, ASME Calculations, Quality API Spec Q1 & ISO 9001:2008.

DECLARATION:

I, Thomas Hill (see note 3) employed by KIMRAY, INC. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ASI (Man Qual System) ISO 9001:2008 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Handwritten Signature]
Declared before me at Oklahoma City
This 25th day of November AD 2014
Commissioner of Oaths or Notary Public: (sign) [Handwritten Signature]

MARIA D. SMITH
Notary Public, State of Oklahoma
Commission # 13007228
My Commission Expires August 07, 2017

This space for Regulatory Authority use
This registration must be revalidated after ten (10) years from the date of acceptance.
CRN: OC15021.2
FID#: 2908
Notes:
1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.
BOILER & PRESSURE VESSEL
NOVA SCOTIA
Date Jan. 30/15
C.R.N. OC15021.28
Dwg. CRN071114 Rev. A-01
Signed Yvonne Perry
1 of 1 Part
ACT & REGULATIONS
Sect. 1.0 - Fittings Rev. 1 06/2003


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: KIMRAY, INC.	
MANUFACTURERS ADDRESS: 52 N.W 52nd Street Oklahoma City, OK 73118 USA	
PLANT LOCATIONS: Oklahoma City	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION ASME B16.34-2013
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER: 1-2" HPCV VALVE ASSY (Plug Series)
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:	
Drawings CRN071114 Rev A-01, CRN071114-1BOM Rev. A-01, CRN071114-1 Rev. A-01, CRN071114-2BOM Rev. A-01, CRN071114-2S Rev A-01, CRN071114-2F Rev. A-01, ASME Calculations, Quality API Spec Q1 & ISO 9001:2008.	

DECLARATION:

I, Thomas Hill (see note 3) employed by KIMRAY, INC. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by BSI (Man Qual System) ISO 9001:2008 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]
 Declared before me at Oklahoma City
 This 25th day of November AD 2014
 Commissioner of Oaths or Notary Public: (sign) [Signature]


MARIA D. SMITH
 U.S. Notary Public, State of Oklahoma
 Commission # 13087226
 My Commission Expires August 07, 2017

New Brunswick
BRUNSWICK

This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance	DEPT OF PUBLIC SAFETY VALVE AND PRESSURE VESSEL ACT
CRN: <u>0C15021.2</u>	REGISTRATION ONLY CRN <u>0C15021.27</u>
FID#: <u>2908</u>	EXAMINER: <u>[Signature]</u> for CHIEF BOILER INSPECTOR
Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.	DATE: <u>1/30/2015</u> <input type="checkbox"/> Solid Brs Fittings Rev. 06/2003 <input type="checkbox"/> FITTINGS <input type="checkbox"/> COMPONENTS

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK NOVA SCOTIA PRINCE EDWARD ISLAND NEWFOUNDLAND AND LABRADOR
 NUNAVUT YUKON NORTHWEST TERRITORIES

MANUFACTURERS NAME: <u>KIMRAY, INC.</u>	
MANUFACTURERS ADDRESS: <u>52 N.W 52nd Street</u> <u>Oklahoma City, OK 73118</u> <u>USA</u>	
PLANT LOCATIONS: <u>Oklahoma City</u>	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION <u>ASME B16.34-2013</u>
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER: <u>1-2" HPCV VALVE ASSY (Plug Series)</u>
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:	
<u>Drawings CRN071114 Rev A-01, CRN071114-1BOM Rev. A-01, CRN071114-1 Rev. A-01, CRN071114-2BOM Rev. A-01, CRN071114-2S Rev A-01, CRN071114-2F Rev. A-01, ASME Calculations, Quality API Spec Q1 & ISO 9001:2008.</u>	

DECLARATION:

I, Thomas Hill (see note 3) employed by KIMRAY, INC. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by BSI (Man Qual System) ISO 9001:2008 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]
 Declared before me at Oklahoma City
 This 25th day of November AD 2014
 Commissioner of Oaths or Notary Public: (sign) [Signature]

MARIA D. SMITH
 U.S. Notary Public, State of Oklahoma
 Commission # 13007226
 My Commission Expires August 07, 2017

This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OC15021.2

FID#: 2908

Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

Newfoundland
Labrador
Service NL

Registered OC15021.20
 Date 15/01/30
 Engineering and Inspection Services
 Registered by [Signature]

UNDER THE AUTHORITY OF THE
PUBLIC SAFETY AND
THE BONAFIDE FITTINGS REGULATIONS
COMPRESSED GAS REGULATIONS


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON


PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: KIMRAY, INC.	
MANUFACTURERS ADDRESS: 52 N.W 52nd Street Oklahoma City, OK 73118 USA	
PLANT LOCATIONS: Oklahoma City	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
<p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p>TITLE OF THE STANDARD OF CONSTRUCTION ASME B16.34-2013</p>
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	<p>TYPE OF CONSTRUCTION</p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/></p> <p>CAST <input type="checkbox"/> OTHER <input type="checkbox"/></p> <p>DESCRIBE OTHER: 1-2" HPCV VALVE ASSY (Plug Series)</p>
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:	
<p>Drawings CRN071114 Rev A-01, CRN071114-1BOM Rev. A-01, CRN071114-1 Rev. A-01, CRN071114-2BOM Rev. A-01, CRN071114-2S Rev A-01, CRN071114-2F Rev. A-01, ASME Calculations, Quality API Spec Q1 & ISO 9001:2008.</p>	

DECLARATION:

I, Thomas Hill (see note 3) employed by KIMRAY, INC. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ASI (Man Qual System) ISO 9001:2008 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 

Declared before me at Oklahoma City

This 25th day of December AD 2014

Commissioner of Oaths or Notary Public: (sign) Maria Smith

MARIA D. SMITH
 Notary Public, State of Oklahoma
 Commission # 13007226
 My Commission Expires August 07, 2017

This space for Regulatory Authority use


This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C15021.2

FID#: 2908

Notes:

- All fittings shall be registered in the name of the Manufacturer
- Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years



GOVERNMENT OF YUKON
BY: [Signature]
CRN: 0C15021.2
DATE: 2/15
BOILERS BRANCH

Sect. 1.0 - Fittings Rev. 1 06/2003

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK NOVA SCOTIA PRINCE EDWARD ISLAND NEWFOUNDLAND AND LABRADOR
NUNAVUT YUKON NORTHWEST TERRITORIES

MANUFACTURERS NAME: KIMRAY, INC.
MANUFACTURERS ADDRESS: 52 N.W 52nd Street Oklahoma City, OK 73118 USA
PLANT LOCATIONS: Oklahoma City
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY
TITLE OF THE STANDARD OF CONSTRUCTION ASME B16.34-2013
TYPE OF CONSTRUCTION FORGED WELDED WROUGHT CAST OTHER DESCRIBE OTHER: 1-2" HPCV VALVE ASSY (Plug Series)
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:
Drawings CRN071114 Rev A-01, CRN071114-1BOM Rev. A-01, CRN071114-1 Rev. A-01, CRN071114-2BOM Rev. A-01, CRN071114-2S Rev A-01, CRN071114-2F Rev. A-01, ASME Calculations, Quality API Spec Q1 & ISO 9001:2008.

DECLARATION:

I, Thomas Hill (see note 3) employed by KIMRAY, INC. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ASI (Man Qual System) ISO 9001:2008 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Handwritten Signature]
Declared before me at Oklahoma City
This 25th day of November AD 2014
Commissioner of Oaths or Notary Public: [Handwritten Signature]

MARIA D. SMITH
ENCLTY PUBLIC STATE OF OKLAHOMA
Commission # 13007226
My Commission Expires August 07, 2017

This space for Regulatory Authority use
This registration must be revalidated after ten (10) years from the date of acceptance.
CRN: 0C15021.2
FID#: 2908
Notes:
1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.
REGISTERED UNDER THE AUTHORITY OF THE BOILER AND PRESSURE VESSEL ACT.
C.R.N. 0C15021.2T
SIGNED [Signature]
DATE Feb 02, 2015
158.00


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON



PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR



MANUFACTURERS NAME: KIMRAY, INC.	
MANUFACTURERS ADDRESS: 52 N.W 52nd Street Oklahoma City, OK 73118 USA	
PLANT LOCATIONS: Oklahoma City	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> . (Meeting CNSC or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION ASME B16.34-2013
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER: 1-2" HPCV VALVE ASSY (Plug Series)
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:	
Drawings CRN071114 Rev A-01, CRN071114-1BOM Rev. A-01, CRN071114-1 Rev. A-01, CRN071114-2BOM Rev. A-01, CRN071114-2S Rev A-01, CRN071114-2F Rev. A-01, ASME Calculations, Quality API Spec Q1 & ISO 9001:2008.	

DECLARATION:

I, Thomas Hill (see note 3) employed by KIMRAY, INC. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by BSI (Man Qual System) ISO 9001:2008 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 
 Declared before me at Oklahoma City
 This 25th day of November AD 2014
 Commissioner of Oaths or Notary Public: (sign) 

MARIA D. SMITH
 U.S. ENCLAVE PUBLIC, STATE OF OKLAHOMA
 Commission # 13007226
 My Commission Expires August 07, 2017

This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance. CRN: <u>OC15021.2</u> FID#: <u>2908</u> Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.	 <p>NUNAVUT Boilers and Pressure Vessels Act</p> <p>REGISTERED</p> CRN <u>OC15021.2 N</u> Date <u>JAN 30 2015</u> Signed  Chief Inspector Sect. 1.0 - Fittings Rev. 1.06/2007 <p>Territorial Registration Fee</p>
--	---